



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/748,198

12/31/2003

Yasutaka Takabayashi

OKI 302 CI

6662

7590

09/13/2004

Rabin & Berdo, P.C.  
Suite 500  
1101 14th Street, N.W.  
Washington, DC 20005

EXAMINER

STERRETT, JEFFREY L

ART UNIT

PAPER NUMBER

2838

DATE MAILED: 09/13/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	10/748,198	TAKABAYASHI, YASUTAKA	
	<b>Examiner</b>	<b>Art Unit</b>	
	Jeffrey L. Sterrett	2838	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 19 August 2004.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 18-23 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 18-23 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 19 August 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |   |   |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                        | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)    | Paper No(s)/Mail Date. _____  |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                                    |

1. The drawings were received on August 19, 2004. These drawings are approved.
2. Figures 2, 3a, and 3b should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.121(d)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.
3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
4. Claims 18, 19, and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Heisley et al (US 6,333,623) in view of the prior art.

Heisley discloses a voltage regulator as previously noted and as now recited by claims 18, 19, and 22 except for including a constant current source in the shunt regulator. The prior art figure 3b illustrates that shunt regulators including a constant current source (B) were old and known in the art at the time of the invention. It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified the voltage regulator of Heisley by including a constant current source in the shunt regulator in order to provide a smooth and consistent current to the load from the input power source as taught by the prior art.

5. Claims 18, 19, and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kadanka (US 5,966,004) in view of the prior art.

Kadanka discloses a voltage regulator as previously noted and as now recited by claims 18, 19, and 22 except for including a constant current source in the shunt regulator. The prior art figure 3b illustrates that shunt regulators including a constant current source (B) were old and known in the art at the time of the invention. It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified the voltage regulator of Kadanka by including a constant current source in the shunt regulator in order to provide a smooth and consistent current to the load from the input power source as taught by the prior art.

6. Claims 20, 21, and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kadanka in view of the prior art as applied to claim 18 above.

Kadanka and the prior art collectively teach a voltage regulator as recited by claims 20 and 21 except for specifying that the first and second voltages are different so that the series and shunt regulators have different outputs. It is noted that Kadanka also has designed the series and shunt regulators to have different outputs by adding an offset voltage source (290) between the reference voltage and the operational amplifier (240). It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified the voltage regulator collectively taught by Kadanka and the prior art by, instead of altering the reference voltage provided to the operational amplifier, altering the second voltage provided to the operational amplifier by utilizing a voltage divider that instead provides two different voltages as the first and second

voltages since comparing the same reference voltage to different voltages or comparing different reference voltages to the same voltage are obvious equivalents providing the very same results.

7. Applicant's arguments with respect to claims 18-23 have been considered but are moot in view of the new ground(s) of rejection.

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP


§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffrey L. Sterrett whose telephone number is (571) 272-2085. The examiner can normally be reached on Monday-Thursday & 8:00am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Sherry can be reached on (571) 272-2084. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Jeffrey L. Sterrett  
Primary Examiner  
Art Unit 2838